



A poultry carcass antimicrobial for pathogen reduction.

Sales and service by:



6935 Vista Drive, West Des Moines, Iowa 50266

Phone 515.334.8035

Web passportfoodsafety.com

SAFETY

Causes irreversible eye damage and skin burns. Do not get in eyes, on skin or on clothing. Wear chemical goggles or safety glasses, protective clothing and rubber gloves. May be fatal if swallowed. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Harmful if absorbed through skin. Harmful if inhaled. Avoid breathing dust. Remove contaminated clothing and wash clothing separately before reuse. Consult MSDS and follow directions.

PHYSICAL AND CHEMICAL HAZARDS

AviBrom is a strong oxidizing and brominating agent. Do not mix with other chemicals. Mix only with water. Do not add this product to any dispensing device containing remnants of another product. Such use may lead to a violent reaction leading to fire or explosion. Avoid contact with aldehydes, strong reducing agents, acids and ammonia-containing products.

STORAGE AND DISPOSAL

Keep this product dry in original tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from heat and flame.

Sweep or shovel spills into appropriate container for disposal. Material that can't be used according to label directions should be disposed of in a properly permitted industrial landfill. Do not reuse container. Rinse thoroughly before discarding in trash.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 9-1-1 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. Have the product container or label with you when calling a poison control center or doctor, or when going for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

FOR INDUSTRIAL USE ONLY

DIRECTIONS FOR USE: This product should only be used in applications and in a manner specified on the label.

This product is an effective poultry carcass wash when used in chill tanks, scalders, plant process water or inside-outside bird washers.

This product must be dissolved in water in an approved feeder before being used in any application.

Water containing a maximum of 450 ppm available (total) bromine may be reused on raw poultry product at its point of origin or upstream from its point of origin in the process and must be in compliance with 9 CFR 416.2(g).

The concentration of this product should never exceed 450 ppm available (total) bromine in the chill tank, the inside-outside bird washer (IOBW), scalding or in the plant process water. Product should be fed to chill tank, IOBW, scalding or plant process water to maintain the desired residual. Bromine levels should be monitored periodically during the day using a suitable bromine test kit.

FDA- and USDA-reviewed and -accepted for use as a poultry carcass antimicrobial for pathogen reduction.

KEEP OUT OF REACH OF CHILDREN

In case of emergency endangering life or property with this product, call (225) 344-7147.

Net contents: 50 lb (22.68 kg)

5628



451 Florida Street, Baton Rouge, LA 70801